

# PBB-272A

Powered Proto Bread Board

---

1x (0 to +15DC) 500ma, 1x (0 to -15DC) 500ma, 1x (+5DC) 1A Fixed Regulated Power Supply

---



## General Description:

Your new DC Regulated Power Source provides accurate & stable DC power. It is ideal for prototype bench testing, laboratories, & schools. The 2 knobs control the voltage. This product is expertly manufactured and designed to provide you with reliable performance & long life.

### Features:

- \*Control knobs for voltage control
- \*Banana Plugs for easy connection to power
- \*Fuse protection
- \*Output polarity: positive, negative or both
- \*Rugged reinforced metal frame construction

### Specifications:

|         | Voltage     | Current   |                              |
|---------|-------------|-----------|------------------------------|
| PBB-272 | 1 x 0-15DC+ | 0 - 500ma | Adjustable                   |
|         | 1 x 0-15DC- | 0 - 500ma | Adjustable                   |
|         | 1 x +5DC    | 1A        | Fixed Regulated Power Supply |


Input Power: 110VAC-120VAC (50Hz/60Hz)

Bread Board Base: Base Panels x 3  
Bus Strips x 5  
Tie points x 2420

Dimensions: 3.5"(H) x 8"(W) x 10.5"(D)

Included Accessories: Power Cord  
Instruction Manual

Weight: 5lbs



- 1. 0-15V Positive LCD Display**
- 2. Power On/Off Switch**
- 3. AC Input Voltage Connector**
- 4. Banana Plug (black) Ground Connector**
- 5. Banana Plug (red) +5VDC Fixed Output**
- 6. Banana Plug (red) 0 to +15VDC Variable Output**
- 7. Banana Plug (red) 0 to -15VDC Variable Output**
- 8. 0 to +15VDC Adjustment Control**
- 9. 0 to -15VDC Adjustment Control**
- 10. 0-15V Negative LCD Display**
- 10. 0-15V Negative LCD Display**
- 11. Tie points x 2420**